



DESCRIPTION OF GOODS	SIZE				TENSILE TEST					CHEMICAL COMPOSITION								
	D mm	L mm	B mm	b mm	ACTUAL B.L. (KN)	MIN. B.L. (KN)	P.L. (KN)	W.L. (kg)	EL. %	C	Si	Mn	P	S	Cr	Ni	Mo	Al
<b>STAINLESS STEEL AISI 316 GENOVESE CHAIN</b>																		
01.374.03-050	3.0mm*50m	3.0	16.0	11.0		4.8	4.5	2.2	110		0.05	0.49	1.02	0.035	0.016	16.60	10.07	2.03
01.374.04-050	4.0mm*50m	4.0	19.0	15.0		8.9	8.0	4.0	200		0.04	0.45	1.14	0.038	0.011	16.51	10.05	2.03
01.374.05-050	5.0mm*50m	5.0	22.0	19.0		13.5	12.6	6.3	315		0.04	0.43	0.98	0.037	0.013	16.69	10.07	2.03
01.374.05-100	5.0mm*100m	5.0	22.0	19.0		13.5	12.6	6.3	315		0.04	0.43	0.98	0.037	0.013	16.69	10.07	2.03
01.374.06-050	6.0mm*50m	6.0	24.0	22.0		18.8	18.0	9.0	450		0.05	0.44	1.12	0.034	0.016	16.55	10.05	2.02
01.374.06-100	6.0mm*100m	6.0	24.0	22.0		18.8	18.0	9.0	450		0.05	0.44	1.12	0.034	0.016	16.55	10.05	2.02
01.374.08-050	8.0mm*50m	8.0	32.0	30.0		33.5	32.0	16.0	800		0.05	0.41	0.95	0.036	0.029	16.55	10.02	2.02
01.374.10-050	10.0mm*50m	10.0	41.0	38.0		51.3	50.0	25.0	1250		0.04	0.40	1.14	0.035	0.016	16.52	10.07	2.03

