



---

**00019025: OSCULATI SRL**

---

**Combination Side-Lights**

---

<b>NMMA code</b>	<b>Model</b>	<b>APPLICATION</b>
2578008	11.039.02 - Evoled navigation lights black ABS left + right - C5 Compliant	
2578009	11.039.21 - Evoled navigation lights polished SS body L + R - C5 Compliant	
2578007	11.039.01 - Evoled navigation lights white ABS left + right - C5 Compliant	

**Stern Light**

---

<b>NMMA code</b>	<b>Model</b>	<b>APPLICATION</b>
2619962	11.051.02 - Sea-Dog led navigation light 112.5° right 20 m - C5 Compliant	11.051.02
2619964	11.049.02 - Sea-Dog led navigation light right bulkhead 20 m - C5 Compliant	11.049.02
2619961	11.050.02 - Sea-Dog led navigation light 112.5° right 12 m - C5 Compliant	11.050.02
2619963	11.048.02 - Sea-Dog led navigation light right bulkhead 12 m - C5 Compliant	11.048.02

**Allround Light**

---

<b>NMMA code</b>	<b>Model</b>	<b>APPLICATION</b>
------------------	--------------	--------------------



---

**00019025: OSCULATI SRL**

---

**Allround Light**

---

<b>NMMA code</b>	<b>Model</b>	<b>APPLICATION</b>
2550338	11.039.62 - Light pole Evoled 360° led angular SS 60 cm - C5 Compliant	
2550333	11.039.40 - Light pole w/Evoled 360° led light - C5 Compliant	
2550334	11.039.60 - Light pole w/Evoled 360° led light SS 100 cm - C5 Compliant	
2550332	11.039.18 - Evoled 360° mooring light AISI 316 body - C5 Compliant	
2550336	11.039.61 - Light pole Evoled 360° led wall-mounting SS 100cm - C5 Compliant	
2618727	11.039.72 - Light pole Evoled 360° led angular SS 120 cm - C5 Compliant	11.039.72
2550337	11.039.42 - Light pole w/Evoled 360° led light white 60 cm - C5 Compliant	
2618725	11.039.17 - Evoled 360° mooring light black plastic body - C5 Compliant	11.039.17
2550331	11.039.16 - Evoled 360° mooring light white plastic body - C5 Compliant	
2619948	11.039.19 - Evoled 360° mooring light chromed ABS body - C5 Compliant	11.039.19



---

**00019025: OSCULATI SRL**

---

**Allround Light**

---

<b>NMMA code</b>	<b>Model</b>	<b>APPLICATION</b>
2618726	11.039.64 - Rod Evoled 360° inox cm 100 - C5 Compliant	11.039.64
2550335	11.039.41 - Light pole w/Evoled 360° led light white 100 cm - C5 Compliant	
2619949	11.039.46 - Light pole w/Evoled 360° led light white Flush - C5 Compliant	11.039.46
2619950	11.039.50 - Foldable pole w/Evoled 360° Led light white - C5 Compliant	11.039.50
2619951	11.039.80 - Foldable pole light 60 cm white plastic - C5 Compliant	11.039.80
2619952	11.039.66 - Evoled 360 ° stainless steel boom Flush 100 cm - C5 Compliant	11.039.66
2619955	11.039.90 - 360° removable light with telescopic pole - C5 Compliant	11.039.90
2619954	11.039.81 - Foldable pole light 60 cm steel - C5 Compliant	11.039.81
2619956	11.150.01 - 360° LED foldable pole, with adjustable slope - C5 Compliant	11.150.01

**Side-Lights**

---

<b>NMMA code</b>	<b>Model</b>	<b>APPLICATION</b>
------------------	--------------	--------------------



---

**00019025: OSCULATI SRL**

---

**Side-Lights**

---

<b>NMMA code</b>	<b>Model</b>	<b>APPLICATION</b>
2619960	11.049.01 - Sea-Dog led navigation light left bulkhead 20 m - C5 Compliant	11.049.01
2619958	11.051.01 - Sea-Dog led navigation light 112.5° left 20 m - C5 Compliant	11.051.01
2619957	11.050.01 - Sea-Dog led navigation light 112.5° left 12 m - C5 Compliant	11.050.01
2619959	11.048.01 - Sea-Dog led navigation light left bulkhead 12 m - C5 Compliant	11.048.01



---

**00019025: OSCULATI SRL**

---

**Combination Side-Lights**

---

<b>NMMA code</b>	<b>Model</b>	<b>APPLICATION</b>
2578008	11.039.02 - Evoled navigation lights black ABS left + right - C5 Compliant	
2578009	11.039.21 - Evoled navigation lights polished SS body L + R - C5 Compliant	
2578007	11.039.01 - Evoled navigation lights white ABS left + right - C5 Compliant	
2620232	11.060.05 - Sphera II navigation light bicolor black body - C5 Compliant	11.060.05
2620233	11.060.15 - Sphera II navigation light bicolor white body - C5 Compliant	11.060.15
2620236	11.060.25 - Sphera II navigation light inox body bicolor - C5 Compliant	11.060.25
2620239	11.062.25 - Sphera III navigation light 112.5° inox bicolor - C5 Compliant	11.062.25
2620244	11.037.05 - Mouse Deck navigation light bicolorABS body white - C5 Compliant	11.037.05
2620245	11.037.25 - Mouse Deck navigation light bicolor SS body - C5 Compliant	11.037.25

**Masthead Light**

---

<b>NMMA code</b>	<b>Model</b>	<b>APPLICATION</b>
------------------	--------------	--------------------



---

**00019025: OSCULATI SRL**

---

**Masthead Light**

---

<b>NMMA code</b>	<b>Model</b>	<b>APPLICATION</b>
2620248	11.060.03 - Sphera II navigation light 225° black body - C5 Compliant	11.060.03
2620249	11.060.13 - Sphera II navigation light 225° white body - C5 Compliant	11.060.13
2620250	11.060.23 - Sphera II navigation light inox body 225° - C5 Compliant	11.060.23
2620252	11.062.23 - Sphera III navigation light 225° inox bow - C5 Compliant	11.062.23

**Stern Light**

---

<b>NMMA code</b>	<b>Model</b>	<b>APPLICATION</b>
2619962	11.051.02 - Sea-Dog led navigation light 112.5° right 20 m - C5 Compliant	11.051.02
2619964	11.049.02 - Sea-Dog led navigation light right bulkhead 20 m - C5 Compliant	11.049.02
2619961	11.050.02 - Sea-Dog led navigation light 112.5° right 12 m - C5 Compliant	11.050.02
2619963	11.048.02 - Sea-Dog led navigation light right bulkhead 12 m - C5 Compliant	11.048.02
2620246	11.060.04 - Sphera II navigation light 135° black body - C5 Compliant	11.060.04



---

**00019025: OSCULATI SRL**

---

**Stern Light**

---

<b>NMMA code</b>	<b>Model</b>	<b>APPLICATION</b>
2620247	11.060.14 - Sphera II navigation light 135° white body - C5 Compliant	11.060.14
2620251	11.060.24 - Sphera II navigation light inox body 135° - C5 Compliant	11.060.24
2620253	11.062.24 - Sphera III navigation light 225° inox bow - C5 Compliant	11.062.24

**Allround Light**

---

<b>NMMA code</b>	<b>Model</b>	<b>APPLICATION</b>
2550338	11.039.62 - Light pole Evoled 360° led angular SS 60 cm - C5 Compliant	
2550333	11.039.40 - Light pole w/Evoled 360° led light - C5 Compliant	
2550334	11.039.60 - Light pole w/Evoled 360° led light SS 100 cm - C5 Compliant	
2550332	11.039.18 - Evoled 360° mooring light AISI 316 body - C5 Compliant	
2550336	11.039.61 - Light pole Evoled 360° led wall-mounting SS 100cm - C5 Compliant	
2618727	11.039.72 - Light pole Evoled 360° led angular SS 120 cm - C5 Compliant	11.039.72



---

**00019025: OSCULATI SRL**

---

**Allround Light**

---

<b>NMMA code</b>	<b>Model</b>	<b>APPLICATION</b>
2550337	11.039.42 - Light pole w/Evoled 360° led light white 60 cm - C5 Compliant	
2618725	11.039.17 - Evoled 360° mooring light black plastic body - C5 Compliant	11.039.17
2550331	11.039.16 - Evoled 360° mooring light white plastic body - C5 Compliant	
2619948	11.039.19 - Evoled 360° mooring light chromed ABS body - C5 Compliant	11.039.19
2618726	11.039.64 - Rod Evoled 360° inox cm 100 - C5 Compliant	11.039.64
2550335	11.039.41 - Light pole w/Evoled 360° led light white 100 cm - C5 Compliant	
2619949	11.039.46 - Light pole w/Evoled 360° led light white Flush - C5 Compliant	11.039.46
2619950	11.039.50 - Foldable pole w/Evoled 360° Led light white - C5 Compliant	11.039.50
2619951	11.039.80 - Foldable pole light 60 cm white plastic - C5 Compliant	11.039.80
2619952	11.039.66 - Evoled 360 ° stainless steel boom Flush 100 cm - C5 Compliant	11.039.66





---

**00019025: OSCULATI SRL**

---

**Allround Light**

---

<b>NMMA code</b>	<b>Model</b>	<b>APPLICATION</b>
2619955	11.039.90 - 360° removable light with telescopic pole - C5 Compliant	11.039.90
2619954	11.039.81 - Foldable pole light 60 cm steel - C5 Compliant	11.039.81
2619956	11.150.01 - 360° LED foldable pole, with adjustable slope - C5 Compliant	11.150.01
2620225	11.152.01 - 360° wireless white light rod 60 cm	11.152.01
2620226	11.152.02 - 360° wireless white light rod 100 cm	11.152.02
2620287	11.063.02 - 360° mast head white case - C-5 Compliant	11.063.02
2620286	11.063.01 - 360° mast head black case - C-5 Compliant	11.063.01

**Side-Lights**

---

<b>NMMA code</b>	<b>Model</b>	<b>APPLICATION</b>
2619960	11.049.01 - Sea-Dog led navigation light left bulkhead 20 m - C5 Compliant	11.049.01
2619958	11.051.01 - Sea-Dog led navigation light 112.5° left 20 m - C5 Compliant	11.051.01



---

**00019025: OSCULATI SRL**

---

**Side-Lights**

---

<b>NMMA code</b>	<b>Model</b>	<b>APPLICATION</b>
2619957	11.050.01 - Sea-Dog led navigation light 112.5° left 12 m - C5 Compliant	11.050.01
2619959	11.048.01 - Sea-Dog led navigation light left bulkhead 12 m - C5 Compliant	11.048.01
2620230	11.060.01 - Sphera II navigation light red black body - C5 Compliant	11.060.01
2620231	11.060.11 - Sphera II navigation light red white body - C5 Compliant	11.060.11
2620234	11.060.21 - Sphera II navigation light inox body red - C5 Compliant	11.060.21
2620235	11.060.22 - Sphera II navigation light inox body green - C5 Compliant	11.060.22
2620237	11.062.21 - Sphera III navigation light 112.5° left inox red - C5 Compliant	11.062.21
2620238	11.062.22 - Sphera III navigation light 112.5°right inox green - C5 Compliant	11.062.22
2620240	11.037.01 - Mouse Deck navigation light red ABS body white - C5 Compliant	11.037.01
2620241	11.037.02 - Mouse Deck navigation light green ABS body white - C5 Compliant	11.037.02



---

**00019025: OSCULATI SRL**

---

**Side-Lights**

---

<b>NMMA code</b>	<b>Model</b>	<b>APPLICATION</b>
2620242	11.037.21 - Mouse Deck navigation light red SS body - C5 Compliant	11.037.21
2620243	11.037.22 - Mouse Deck navigation light green SS body - C5 Compliant	11.037.22

**Horns 12 to 20 Meters**

---

<b>NMMA code</b>	<b>Model</b>
2619642	21.442.12/24 - Chromed trumpet W/1 Horn 12/24 V
2619643	21.443.12/24 - Chromed trumpet W/2 horns 12/24 V

**Tricolor Light**

---

<b>NMMA code</b>	<b>Model</b>	<b>APPLICATION</b>
2620288	11.065.01 - 360° mast head + tricolour, black case - C-5 Compliant	11.065.01

**Blower**

---

<b>NMMA code</b>	<b>Model</b>	<b>CUBIC FEET PER MINUTE</b>	<b>MAXIMUM FUSE RATING</b>
2619597	16.172.01/02/03 - SUPERFLOW Axial Blower	2,5	3,5A



---

**00019025: OSCULATI SRL**

---

**Blower**

---

<b>NMMA code</b>	<b>Model</b>	<b>CUBIC FEET PER MINUTE</b>	<b>MAXIMUM FUSE RATING</b>
2503634	BLC 002-12V	88.29	
2503642	BLC 028-12V	88.29	
2503637	BLC 002P-24V	88.29	
2503645	BLC 023-24V	88.29	
2503536	16.104.20	153	10 AMP
2503640	BLC 015-12V	88.29	
2503638	BLC 004-12V	88.29	
2503639	BLC 004-12V	88.29	
2503537	16.104.21	153	10 AMP
2503641	BLC 015-24V	88.29	



---

**00019025: OSCULATI SRL**

---

**Blower**

---

<b>NMMA code</b>	<b>Model</b>	<b>CUBIC FEET PER MINUTE</b>	<b>MAXIMUM FUSE RATING</b>
2503635	BLC 002-24V	88.29	
2503643	BLC 028-24V	88.29	
2503636	BLC 002P-12V	88.29	
2503644	BLC 023-12V	88.29	
2568647	1610415		12V, 3 AMPS