OSCULATI S.R.L.			Revision nr. 5		
			Dated 01/08/2018		
OSCULATI LIGHT 2500 - KG. 0,5		0.5	Printed on 04/12/2018		
		,0	Page n. 1/12		
Code 65.222.05			Replaced revision:4		
Safety Data Sheet					
SECTION 1. Identification of the sub	stance/mixture ar	nd of the company/u	ndertaking		
1.1. Product identifier Code:	65.222.05				
Product name	OSCULATI LIGHT 250	0 - KG. 0,5			
1.2. Relevant identified uses of the substance or m Intended use Polishing compound		d against			
Identified Uses	Industrial	Professional	Consumer		
product for surface finishing	-		-		
		4			
1.3. Details of the supplier of the safety data sheet					
Name	OSCULATI S.R.L.				
Full address	VIA PACINOTTI 12				
District and Country	20090 SEGRATE (MI) ITALIA				
	tel. +39. 02 2699 111				
	fax +39. 02 2699 1120				
e-mail address of the competent person					
responsible for the Safety Data Sheet	info@osculati.it				
1.4. Emergency telephone number					
For urgent inquiries refer to	+39. 02 2699 111				
SECTION 2. Hazards identification					
SECTION 2. Hazards identification					
2.1. Classification of the substance or mixture					
The product is classified as hazardous pursuant to th supplements). The product thus requires a safety datas Any additional information concerning the risks for healt	heet that complies with th	e provisions of (EU) Regulatio	n 2015/830.		
Hazard classification and indication:					
Eye irritation, category 2	H319	Causes serious eye ir			
Skin sensitization, category 1	H317	May cause an allergic	skin reaction.		
2.2. Label elements					
Hazard labelling pursuant to EC Deculation 4070/0009	(CLP) and subsequent an	nendments and supplements			
Hazard labelling pursuant to EC Regulation 1272/2008	(CLP) and subsequent an	menuments and supplements.			
Hazard pictograms:					

OSCULATI S.R.L. OSCULATI LIGHT 2500 - KG. 0,5			Revision nr. 5
			Dated 01/08/2018
			Printed on 04/12/2018 Page n. 2/12
Code 65.222.05		Replaced revision:4	
(!)			i
Signal words:	Warning		
lazard statements:			
H319 H317	Causes serious eye irritation. May cause an allergic skin re		
Precautionary statements	5:		
P501 P102 P280 P101 P261 P305+P351+P338	Dispose of contents / container in accordance with local / regional / national / international regulations. Keep out of reach of children. Wear protective gloves / eye protection / face protection. If medical advice is needed, have product container or label at hand. Avoid breathing dust / fume / gas / mist / vapours / spray. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
Contains:	Mixture of: 5-cloro-2-metil-2	H-isotiazol-3-one; 2-metil-2H-isotiazol-3-one	ə (3:1)
2.3. Other hazards			
On the basis of available	data, the product does not conta	in any PBT or vPvB in percentage greater th	han 0,1%.
SECTION 3. Cor	nposition/information	on ingredients	
3.1. Substances			
nformation not relevant			
3.2. Mixtures			
Contains:			
		Classification 1272/2008 (CLP)	
Identification	x = Conc. %		
Hydrocarbons,C10-C ² isoalkanes, cyclics, <2	13, % aromatics	Asp. Toy. 1 4204	
Hydrocarbons,C10-C ² isoalkanes, cyclics, <2 CAS -	13,	Asp. Tox. 1 H304	
Hydrocarbons,C10-C ² isoalkanes, cyclics, <2	13, % aromatics	Asp. Tox. 1 H304	
Hydrocarbons,C10-C' isoalkanes, cyclics, <2 CAS - EC 918-317-6	13, 2% aromatics 18 ≤ x < 19,5	Asp. Tox. 1 H304	
Hydrocarbons,C10-C isoalkanes, cyclics, <2 CAS - EC 918-317-6 INDEX - Reg. no. 01-2119474 Alcohols, C12-14, eth	13, % aromatics 18 ≤ x < 19,5 196-32-XXXX oxylated		
Hydrocarbons,C10-C isoalkanes, cyclics, <2 CAS - EC 918-317-6 INDEX - Reg. no. 01-2119474	13, 2% aromatics 18 ≤ x < 19,5 196-32-XXXX	Asp. Tox. 1 H304 Acute Tox. 4 H302, Eye Dam. 1 H318, A Chronic 3 H412	Aquatic Acute 1 H400 M=1, Aquatic
Hydrocarbons,C10-C isoalkanes, cyclics, <2 CAS - EC 918-317-6 INDEX - Reg. no. 01-2119474 Alcohols, C12-14, eth	13, % aromatics 18 ≤ x < 19,5 196-32-XXXX oxylated	Acute Tox. 4 H302, Eye Dam. 1 H318, A	Aquatic Acute 1 H400 M=1, Aquatic

OSCULATI LIGHT 2500 - KG. 0,5

Code 65.222.05

Revision nr. 5

Dated 01/08/2018 Printed on 04/12/2018

Page n. 3/12

Replaced revision:4

Mixture of: 5-cloro-2-metil-2Hisotiazol-3-one; 2-metil-2Hisotiazol-3-one (3:1) CAS 55965-84-9

0,0015 ≤ x < 0,06

Acute Tox. 2 H330, Acute Tox. 3 H301, Acute Tox. 3 H311, Skin Corr. 1B H314, Eye Dam. 1 H318, Skin Sens. 1 H317, Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 M=1

EC -

INDEX 613-167-00-5

The full wording of hazard (H) phrases is given in section 16 of the sheet.

SECTION 4. First aid measures

4.1. Description of first aid measures

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor.

INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations. SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

OSCULATI LIGHT 2500 - KG. 0,5

Code 65.222.05

Revision nr. 5

Dated 01/08/2018 Printed on 04/12/2018

Page n. 4/12

Replaced revision:4

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Information not available

8.2. Exposure controls

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

Provide an emergency shower with face and eye wash station.

OSCULATI LIGHT 2500 - KG. 0,5

Code 65.222.05

Revision nr. 5

Dated 01/08/2018 Printed on 04/12/2018

Page n. 5/12

Replaced revision:4

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category II professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type B filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	liquid
Colour	light blue
Odour	characteristic
Odour threshold	Not available
рН	Not available
Melting point / freezing point	Not available
Initial boiling point	Not available
Boiling range	Not available
Flash point	> 60 °C
Evaporation rate	Not available
Flammability (solid, gas)	Not available
Lower inflammability limit	Not available
Upper inflammability limit	Not available
Lower explosive limit	Not available
Upper explosive limit	Not available
Vapour pressure	Not available
Vapour density	Not available
Relative density	Not available
Solubility	Not available

OSCULATI LIGHT 2500 - KG. 0,5

Code 65.222.05

Revision nr. 5

Dated 01/08/2018 Printed on 04/12/2018

Page n. 6/12

Replaced revision:4

Partition coefficient: n-octanol/water Auto-ignition temperature Decomposition temperature Viscosity Explosive properties Oxidising properties Not available Not available Not available Not available Not available

9.2. Other information

Information not available

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

11.1. Information on toxicological effects

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

OSCULATI LIGHT 2500 - KG. 0,5

Code 65.222.05

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

ACUTE TOXICITY

LC50 (Inhalation) of the mixture: Not classified (no significant component) LD50 (Oral) of the mixture: >2000 mg/kg LD50 (Dermal) of the mixture: Not classified (no significant component)

Mixture of: 5-cloro-2-metil-2H-isotiazol-3-one; 2-metil-2H-isotiazol-3-one (3:1)

LC50 (Inhalation) 0,31 mg/l Ratto, 4 ore

Alcohols, C12-14, ethoxylated

LD50 (Oral) > 300 mg/kg ratto

LD50 (Dermal) > 2000 mg/kg coniglio

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye irritation

RESPIRATORY OR SKIN SENSITISATION

Sensitising for the skin

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Revision nr. 5

Dated 01/08/2018

Printed on 04/12/2018 Page n. 7/12

Replaced revision:4

OSCULATI LIGHT 2500 - KG. 0,5

Code 65.222.05

Revision nr. 5

Dated 01/08/2018 Printed on 04/12/2018

Page n. 8/12

Replaced revision:4

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

SECTION 12. Ecological information

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil and waterways. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

12.1. Toxicity

Mixture of: 5-cloro-2-metil-2H-isotiazol-3one; 2-metil-2H-isotiazol-3-one (3:1) LC50 - for Fish EC50 - for Crustacea

EC10 for Algae / Aquatic Plants

Alcohols, C12-14, ethoxylated

- LC50 for Fish
- EC50 for Crustacea

EC50 - for Algae / Aquatic Plants

EC10 for Algae / Aquatic Plants

12.2. Persistence and degradability

Mixture of: 5-cloro-2-metil-2H-isotiazol-3one; 2-metil-2H-isotiazol-3-one (3:1) NOT rapidly degradable

Alcohols, C12-14, ethoxylated

Rapidly degradable 12.3. Bioaccumulative potential

Information not available

0,58 mg/l/96h Danio rerio 1,02 mg/l/48h 0,188 mg/l/72h

- > 0,1 mg/l/96h Brachydanio rerio
- > 0,1 mg/l/48h Daphnia magna
- > 0,1 mg/l/72h Desmodesmus subspicatus
- > 0,1 mg/l/72h Scenedesmus subspicatus

OSCULATI LIGHT 2500 - KG. 0,5 Code 65.222.05

Revision nr. 5

Dated 01/08/2018 Printed on 04/12/2018

Page n. 9/12

Replaced revision:4

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects

Information not available

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number

Not applicable

14.2. UN proper shipping name

Not applicable

14.3. Transport hazard class(es)

Not applicable

14.4. Packing group

OSCULATI LIGHT 2500 - KG. 0,5

Code 65.222.05

Revision nr. 5

Dated 01/08/2018 Printed on 04/12/2018

Page n. 10/12

Replaced revision:4

Not applicable

14.5. Environmental hazards

Not applicable

14.6. Special precautions for user

Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product Point

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

3

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

OSCULATI LIGHT 2500 - KG. 0,5

Code 65.222.05

Revision nr. 5

Dated 01/08/2018 Printed on 04/12/2018

Page n. 11/12

Replaced revision:4

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances

Hydrocarbons,C10-C13, isoalkanes, cyclics, <2% aromatics

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

Acute Tox. 2	Acute toxicity, category 2
Acute Tox. 3	Acute toxicity, category 3
Acute Tox. 4	Acute toxicity, category 4
Asp. Tox. 1	Aspiration hazard, category 1
Skin Corr. 1B	Skin corrosion, category 1B
Eye Dam. 1	Serious eye damage, category 1
Eye Irrit. 2	Eye irritation, category 2
Skin Sens. 1	Skin sensitization, category 1
Aquatic Acute 1	Hazardous to the aquatic environment, acute toxicity, category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic toxicity, category 1
Aquatic Chronic 3	Hazardous to the aquatic environment, chronic toxicity, category 3
H330	Fatal if inhaled.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road

- CAS NUMBER: Chemical Abstract Service Number

- CE50: Effective concentration (required to induce a 50% effect)

- CE NUMBER: Identifier in ESIS (European archive of existing substances)

- CLP: EC Regulation 1272/2008

- DNEL: Derived No Effect Level

- EmS: Emergency Schedule

- GHS: Globally Harmonized System of classification and labeling of chemicals

- IATA DGR: International Air Transport Association Dangerous Goods Regulation

- IC50: Immobilization Concentration 50%

Revision nr. 5 **OSCULATI S.R.L.** Dated 01/08/2018 Printed on 04/12/2018 **OSCULATI LIGHT 2500 - KG. 0.5** Page n. 12/12 Code 65.222.05 Replaced revision:4 IMDG: International Maritime Code for dangerous goods IMO: International Maritime Organization INDEX NUMBER: Identifier in Annex VI of CLP LC50: Lethal Concentration 50% LD50: Lethal dose 50% OEL: Occupational Exposure Level PBT: Persistent bioaccumulative and toxic as REACH Regulation PEC: Predicted environmental Concentration PEL: Predicted exposure level PNEC: Predicted no effect concentration REACH: EC Regulation 1907/2006 RID: Regulation concerning the international transport of dangerous goods by train TLV: Threshold Limit Value TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure. TWA STEL: Short-term exposure limit TWA: Time-weighted average exposure limit VOC: Volatile organic Compounds vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation WGK: Water hazard classes (German). GENERAL BIBLIOGRAPHY 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament 3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament 4. Regulation (EU) 2015/830 of the European Parliament 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament 12. Regulation (EU) 2016/1179 (IX Atp. CLP) 13. Regulation (EU) 2017/776 (X Atp. CLP) - The Merck Index. - 10th Edition Handling Chemical Safety INRS - Fiche Toxicologique (toxicological sheet) Patty - Industrial Hygiene and Toxicology N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition

- IFA GESTIS website
- ECHA website

- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified:

02 / 03 / 04 / 05 / 08 / 11 / 12 / 15 / 16.